



Tapered Roller Bearings
Rodamientos de rodillos cónicos

Bearings Division



TAPERED ROLLER BEARINGS

» Miami, FL., U.S.A.




METRIC SIZE / INCH SIZE






» **501-006**

No. SET	REFERENCE	No. SET	REFERENCE	No. SET	REFERENCE
Set 1	LM11749 / LM11710	Set 39	J RM3939 / assy 90U08	Set 74	387A / 382A
Set 2	LM11949 / LM11910	Set 40	J RM4040A / assy 90U02	Set 75	387A / 382S
Set 3	M 12649 / M12610	Set 42	J ML506849A/ J LM506811	Set 76	387AS / 382A
Set 4	L44649 / L44610	Set 43	15123 / 15245	Set 77	388A / 382
Set 5	LM48548 / LM48510	Set 44	L44600LB / assy 90055-L44610	Set 78	55200C / 55437
Set 6	LM67048 / LM67010	Set 45	LM501349 / LM501310	Set 79	56425 / 56650
Set 7	M2010475/ M201011-K108601	Set 46	J L26749F / J L26710	Set 80	U497 / assy 9A4A3-K444658
Set 8	L45449 / L45410	Set 47	LM102949 / LM102910	Set 81	HM88542/ HM88510
Set 9	U298 / assy 90011-K426897	Set 48	J RM4042 / assy 90UA1	Set 82	LM104949 / J LM104910
Set 10	U399 / assy 90010-K426898	Set 49	J RM4249 / assy 90UA1	Set 83	HM803149 / HM803110
Set 11	J L69349 / J L69310	Set 50	02872 / 02820	Set 84	HM807040 / HM807010
Set 12	LM12749 / LM12710	Set 51	15106 / 15245	Set 85	25880 /25820
Set 13	L68149 / L68110	Set 52	25580 / 25520	Set 86	395LA / assy 902A4-394A
Set 14	L44643 / L44610	Set 53	25580 / 25523	Set 87	07000LA / assy 902A1-07196
Set 15	07100 / 07196	Set 54	25590 / 25520	Set 88	LM 11900LA / assy 902A1-LM 11910
Set 16	LM12749 / LM12711	Set 55	25590 / 25523	Set 89	M12600LA / assy 902A1-M12610
Set 17	L68149 / L68111	Set 56	LM29748 / LM29710	Set 90	13600LA / assy 902A1-13621
Set 20	U399A/ assy 90012-K518783/K523967	Set 57	31594 / 31520	Set 91	LM29700LA / assy 902A1- LM29710
Set 21	1988 / 1922	Set 58	LM48548A / LM48510	Set 92	L44600LA / assy 902A1 - L 44610
Set 22	2(LM67045 / LM67010Z)	Set 59	LM48548A / LM48511A	Set 93	LM48500LA / assy902A1- LM48510
Set 23	LM104949E / assy 904A2	Set 60	LM48548 / LM48511A	Set 94	LM67000LA / assy 902A1 - LM64010
Set 24	J L68145 / J L68111Z	Set 61	11590 / 11520	Set 95	2580 / 2523
Set 25	J LM506848E / assy 90K02	Set 62	17887 / 17831	Set 98	3984 / 3920
Set 26	J LM104946 / J LM104910Z	Set 63	M88048 / M88010	Set 101	4A/6
Set 27	LM67048 / LM67010BCE	Set 64	HM903249 / HM903210	Set 102	3585 / 3525
Set 28	J 15585 / 15520	Set 65	M86647 / M86610	Set 103	3982 / 3920
Set 30	J LM67042 / LM67010	Set 66	368S / 362	Set 105	33287 / 33462
Set 34	LM12748 / LM12710	Set 67	HM88649 / HM88610	Set 106	LM78349 / LM78310A
Set 35	J RM3534 / assy 90U01	Set 68	497 / 493	Set 107	J LM104948 / J LM104910
Set 36	LM603049 / LM603012	Set 69	LM501349 / LM501314	Set 108	J H807045 / J HM807012
Set 37	LM603049 / LM603011	Set 70	LM29749 / LM29710	Set 109	683 / 672
Set 38	LM104949 / LM104911	Set 73	15101 / 15245	Set 110	6386 / 6320




No. SET	REFERENCE	No. SET	REFERENCE	No. SET	REFERENCE
Set 111	48290 / 48220	Set 279	398585 / 39520	Set 412	HM212047 / HM212011
Set 112	47896 / 47820	Set 281	42584 / 42381	Set 413	HM212049 / HM212011
Set 113	HM215249 / HM215210	Set 304	72487 / 72212C	Set 414	HM218248 / HM218210
Set 114	H212749 / H212710	Set 307	09074 / 09194	Set 415	HM518445 / HM518410
Set 115	J H415647 / J H415610	Set 308	M84548 / M84510	Set 416	45291 / 45220
Set 116	74550A / 74850	Set 309	M86649 / M86610	Set 417	47890 / 47820
Set 117	64450 / 64700	Set 310	M88047 / M88010	Set 418	H715334 / H715311
Set 118	J LM506849 / J LM506810	Set 312	HM89449 / HM89410	Set 419	H715343 / H715311
Set 121	18790 / 18720	Set 317	HM220149 / HM220110	Set 420	H715345 / H715311
Set 122	25580 / 25522	Set 318	LM300849 / LM300811	Set 421	HM516449A / HM516410
Set 123	3780 / 3720	Set 321	25877 / 25820	Set 422	HM516449C / HM516410
Set 124	6580 / 6535	Set 322	495AX / 493	Set 423	6461A / 6420
Set 200	LM451349 / LM154310	Set 351	3579 / 3525	Set 424	555S / 552A
Set 201	368A / 362A	Set 354	15103S / 15245	Set 425	567 / 563
Set 202	LM545849 / LM545810	Set 355	15579X / 15520	Set 426	47679 / 47620
Set 203	475 / 472A	Set 357	28584 / 28521	Set 427	NP899357 / NP026773
Set 205	469 / 453X	Set 361	J M716649 / J M716610	Set 428	NP874005 / NP435398
Set 212	537 / 532X	Set 362	02474 / 02420	Set 429	NP034946 / NP363298
Set 216	594 / 592A	Set 363	55175C / 55437	Set 430	NP840302 / NP053874
Set 226	1380 / 1328	Set 364	37625 / 37431A	Set 431	NP965350 / NP503727
Set 229	2780 / 2720	Set 365	395A / 394A	Set 432	NP174964 / NP593561
Set 230	2788 / 2720	Set 401	580 -572	Set 433	NP431952 / NP378092
Set 241	6386 / 6320	Set 402	582 / 572	Set 434	NP555065 / NP720703
Set 244	J F7049A / J F7010	Set 403	594A / 592A	Set 435	NP568900 / NP107783
Set 251	15103S / 15243	Set 404	598A / 592A	Set 436	NP577914 / NP975161
Set 252	15106 / 15250X	Set 405	663 / 653	Set 437	NP022333 / NP250023
Set 253	18590 / 18520	Set 406	3782 / 3720	Set 438	NP417549 / NP156827
Set 260	25877 / 25821	Set 407	28682 / 28622	Set 506	72225C / 72487
Set 267	29685 / 29620	Set 408	39590 / 39520	Set 508	687 / 672
Set 268	LM29749 / LM29711	Set 409	45280 / 45220	Set 927	742 / 740
Set 276	39580 / 39520	Set 410	45284 / 45220		
Set 278	39581 / 38520	Set 411	47686 / 47620		






TAPERED ROLLER BEARINGS METRIC SIZE					
Designations	Principal dimensions mm				
	d	D	T	B	C
30204	20	47	15.25	14	12
32204		47	19.25	18	15
30304		52	16.25	15	13
32304		52	22.25	21	18
30205	25	52	16.25	15	13
32205		52	19.25	18	16
33205		52	22	22	18
30305		62	18.25	17	13
32305	30	62	25.25	24	20
30206		62	17.25	16	14
32206		62	21.25	20	17
33206		62	25	25	19.5
30306	35	72	20.75	19	16
32306		72	28.75	27	23
32007		62	18	18	14
30207		72	18.25	17	15
32207	40	72	24.25	23	19
33207		72	28	28	22
30307		80	22.75	21	18
32307		80	32.75	31	25
30208	40	80	19.75	18	16
32208		80	24.75	23	19
33208		80	32	32	25
31308		90	25.25	23	17
30308		90	25.25	23	20
32308		90	35.25	33	27






TAPERED ROLLER BEARINGS METRIC SIZE					
Designations	Principal dimensions mm				
	d	D	T	B	C
32009	45	75	20	20	15.5
30209		85	20.75	19	16
32209		85	24.75	23	19
33209		85	32	32	25
31309		100	27.25	25	18
30309		100	27.25	25	22
32309		100	38.25	36	30
32010	50	80	20	20	15.5
30210		90	21.75	20	17
32210		90	24.75	23	19
33210	50	90	32	32	24.5
30310		110	29.25	27	23
31310		110	29.25	27	19
32310		110	42.25	40	33
32011	55	90	23	23	17.5
30211		100	22.75	21	18
32211		100	26.75	25	21
30311		120	31.5	29	25
31311		120	31.5	29	21
32311	120	45.5	43	35	
32012	60	95	23	23	17.5
33112		100	30	30	23
30212		110	23.75	22	19
32212		110	29.75	28	24
30312		130	33.5	31	26
31312		130	33.5	31	22
32312	130	48.5	46	37	






TAPERED ROLLER BEARINGS METRIC SIZE						
Designations	Principal dimensions mm					
	d	D	T	B	C	
33013	65	100	27	27	21	
33113		110	34	34	26.5	
30213		120	24.75	23	20	
32213		120	32.75	31	27	
33213		120	41	41	32	
31313		140	36	33	23	
30313		140	36	33	28	
32313		140	51	48	39	
32014		70	110	25	25	19
33114			120	37	37	29
30214	126		26.25	24	21	
32214	125		33.25	31	27	
31314	150		38	35	25	
30314	150		38	35	30	
32314	150		54	51	42	
32015	75		115	25	25	19
33115			125	37	37	29
30215			130	25.25	25	22
32215		130	33.25	31	27	
33215		130	41	41	31	
30315		160	40	37	31	
31315		160	40	37	26	
52315		160	58	55	45	
32016		80	125	29	29	22
33116			130	37	37	29
30216	140		28.25	26	22	
32216	140		35.25	33	28	
33216	140		46	46	35	
31316	170		42.5	39	27	
30316	170		42.5	39	33	
32316	170		61.5	58	48	



TAPERED ROLLER BEARINGS METRIC SIZE					
Designations	Principal dimensions mm				
	d	D	T	B	C
32017	85	130	29	29	22
33117		140	41	41	32
30217		150	30.5	28	24
32217		150	38.5	36	30
33217		150	49	49	37
31317		180	44.5	41	28
31317		180	44.5	41	28
30317		180	44.5	41	34
32317		180	63.5	60	49
32018		90	140	32	32
33118	150		45	45	35
30218	160		32.5	30	26
32218	160		42.5	40	34
31318	190		46.5	43	30
30318	190		46.5	43	36
32318	190		67.5	64	53
33019	95	145	39	39	32.5
30219		170	34.5	32	27
32219		170	45.5	43	37
31319		200	49.5	45	32
30319		200	49.5	45	38
32319		200	71.5	67	55
32020	100	150	32	32	24
33020		150	39	39	32.5
30220		180	37	34	29
32220		180	49	46	39
30320		215	51.5	47	39
32320		215	77.5	73	60



TAPERED ROLLER BEARINGS METRIC SIZE						
Designations	Principal dimensions mm					
	d	D	T	B	C	
33021	105	160	43	43	34	
32221		190	53	50	43	
30321		225	53.5	49	41	
32321		225	81.5	77	63	
32022	110	170	38	38	29	
33022		170	47	47	37	
33122		180	56	56	43	
30222		200	41	38	32	
32222		200	56	53	46	
30322		240	54.5	50	42	
31322		240	63	57	38	
32322		240	84.5	80	38	
32924		120	165	29	29	23
32024			180	38	38	29
30224	215		43.5	40	34	
32224	215		61.5	58	50	
30324	260		59.5	55	46	
31324	260		68	62	42	
32324	260		90.5	86	69	
30226	130		230	43.75	40	34
32226		230	67.75	64	54	
30326		280	63.75	58	49	
31326		280	72	66	44	
30228	140	250	45.75	42	36	
32228		250	71.75	68	58	
30328		300	67.75	62	53	



TAPERED ROLLER BEARINGS METRIC SIZE					
Designations	Principal dimensions mm				
	d	D	T	B	C
32230	150	270	77	73	60
30330		320	72	65	55
32330		320	114	108	90
32232	160	290	84	80	67
27332		340	88	79	54
32332		340	121	114	95
30236	180	320	57	52	43
32236		320	91	86	71
30238	190	340	60	55	46
32238		340	97	92	75
30240	200	360	64	58	48
32240		360	104	98	82
30244	220	400	72	65	64
32244		400	114	108	90
32064	320	480	100	100	74